



5. Eco-Insulation heavy duty lightweight cellulose fibre insulation manufactured and certified in accordance with SANS 1381-6: 2011, evenly pumped to a minimum R-value of 2,50m².K/W) depth of 100mm in roof space above ceilings for TIASA Climatic Zone 5 (if an accompanying radiant barrier is installed the 'Deemed to Satisfy' depth requirement reduces to 65mm).

CROSS SECTION THROUGH PITCH ROOF

PROJECT NO	DRAWING NO.	REVISION
		1
COPYRIGHT AND RIGHT OF REPRODUCTION OF THIS DRAWING OR ANY PORTION THEREOF IS RESERVED BY THE ARCHITECTS		
GENERAL NOTES		
<ol style="list-style-type: none"> The Contractor is responsible for the correct setting out of the buildings and all external and internal walls with particular reference to boundaries, building lines and setting out points. The Contractor is to verify all levels, heights and dimensions on site and is to check these against the drawing before putting any work in hand. The Contractor is to locate and identify existing services on the site and to protect these from damage throughout the duration of the contract. The Contractor is referred to the Standard Guidelines for Quality Control issued by this office for all minimum requirements for workmanship and materials. This document is to be used in conjunction with this drawing. Any errors, discrepancies or omissions are to be reported to the Architect immediately. Contractor is to build in Approved D.P.C.'s, whether or not these are shown on drawings to all external walls at each floor, beam or parapet level and to all windows, doors, grilles or other opening in external walls. Cavity walls to have stepped D.P.C.'s. Any queries arising from all the above must be reported to the Architects for clarification before any work is put in hand. Do not scale this drawing; refer to figured dimensions only. 		

REVISIONS			
REV.	NAME	DATE	DESCRIPTION
0			

PROJECT TITLE
Eco - Insulation
PROJECT DESCRIPTION
Eco - Insulation product specification & installation
DRAWING DESCRIPTION
Eco - Insulation product specification & installation for low pitched & flat roofs for TIASA CLIMATIC ZONE 5

SCALE	1 : 50
DATE	04/02/2013
ISSUED	04/02/2013
DRAWN	DJB

PURESPACE DESIGN
 10 SALT CIRCLE ARCADE
 374 ALBERT ROAD
 WOODSTOCK
 016 610 9162 CELL FAX 086 616 0928
 email: dertk@purespace.co.za web: www.purespace.co.za

Interior Design + Project Management

PROJECT NO	DRAWING NO.	REVISION
PS0213	PS4/213/3	0